


**IMPORTANT: IT WAS ACCEPTED TO PLACE BRACING OVER
WINDOWS.**

Cont. on page 1



ELEVATION GRID 5




SCALE
A4 SHEET 1:125

REV
A

DRAWING NUMBER
417130-GA

PAGE
2/3


Cont. on page 1




RANBUILD

Copyright 2022
Lysaght Building
Solutions Pty Ltd
trading as RANBUILD

SCALE A4 SHEET 1:125	REV A
DRAWING NUMBER 417130-GA	PAGE 3/3



FRAME ROOF PLAN



ELEVATION GRID B

Cont. on page 2

CLADDING			
ITEM	PROFILE (min)	FINISH	COLOUR
ROOF	TRIMDEK 0.42 BMT	CB	PE
WALLS	TRIMDEK 0.35 BMT	CB	PE
CORNERS	-	CB	PE
BARGE	-	CB	PE
GUTTER	SHEERLINE	CB	PE
DOWNPIPE	90x90	PV	WT

0.35bmt=0.40tct; 0.42bmt=0.47tct; 0.48bmt=0.53tct

ACCESSORY SCHEDULE & LEGEND		
QTY	MARK	DESCRIPTION
1	KFO1	2100H x 1800W Framed Opening. Door must be fitted
1	RD1	B&D, Firmadoor, R.D, "R1F-W/Lock-Drive Through", 2900H x 3020W Clr Open C/
2	KWN1	GJames Window Kit, 900H x 1310W (N3) Window P/ Coated. W/ Std Fly Screen (D)
1	KWN2	GJames Window Kit, 900H x 1510W (N3) Window P/ Coated. W/ Std Fly Screen (D)
1	KWN3	GJames Window Kit, 900H x 1210W (N3) Window P/ Coated. W/ Std Fly Screen (D)
1	L650-29L	Larnec, in-swing & Frame Kit, 650/hW, Left Hung, Std. 2040 x 1100 C/B
1	KWO1	GJames (N3) 600H x 610W Window Opening (D). Window must be fitted

ARCHITECTURAL DRAWING ONLY, NOT FOR CONSTRUCTION USE

WIND DESIGN			
IMPORTANCE LEVEL	REGION	TERRAIN	M _s
2	B	2	1.0

CLIENT
Paul Rauchwald

SITE
**580 Edward Road
NARNGULU WA 6532**

BUILDING
**SUNDOWN DELUXE
12000 SPAN x 4000 EAVE x 15000 LONG**

TITLE
GENERAL ARRANGEMENT

SCALE A4 SHEET 1:125	DRAWING NUMBER 417130-GA	REV A	PAGE 1/3
-------------------------	------------------------------------	----------	-------------

Cont. on page 3